

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number: 10687744**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Friday  
Date: 7/7/2006  
Time: 14:42:55

 **PALM INTRANET**

## Inventor Information for 10/687744

<b>Inventor Name</b>	<b>City</b>	<b>State/Country</b>
CHEN, CHO YING	TAICHUNG	TAIWAN

Search Another: Application#   or Patent#    
PCT /  /   or PG PUBS #    
Attorney Docket #    
Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060059675 A1	20060323	Method for manufacturing zippers	29/408		Hsieh; Chen-Chou
US 20050279805 A1	20051222	Bondhead for wire bonding apparatus	228/4.5	228/44.7	Wong, Yam Mo et al.
US 20050266208 A1	20051201	Abrasion-resistant, antistatic, antireflective transparent coating and method for making it	428/143		Raychaudhuri, Satyabrata et al.
US 20050160207 A1	20050721	Computing apparatus including a hardware management add-on card	710/74	710/301	Chen, Chong-Kuang et al.
US 20050124111 A1	20050609	Method for forming a self-aligned buried strap in a vertical memory cell	438/241	257/E21.008; 438/386	Huang, Cheng-Chih et al.
US 20050124110 A1	20050609	METHOD FOR FORMING A SELF-ALIGNED BURIED STRAP IN A VERTICAL MEMORY CELL	438/241	257/301; 257/E21.008; 257/E29.346; 438/386	Huang, Cheng-Chih et al.
US 20050110102 A1	20050526	Method for forming oxide on ONO structure	257/411	257/E21.21; 257/E21.268; 257/E21.423	Wang, Chih-Hao et al.
US 20050088348 A1	20050428	Driven array dual-band linear antenna	343/702		Chi, Hsiang-Jung et al.
US 20050066453 A1	20050331	Photochromic dye	8/635		Chiu, Jen-Yi et al.
US 20050064643 A1	20050324	Method for isolation layer for a vertical DRAM	438/202		Huang, Cheng-Chih et al.
US 20050062842 A1	20050324	Videoconferencing service system, videoconferencing service operating method and	348/14.08	348/14.11	Yang, Yuefeng et al.

		service center			
US 20050020028 A1	20050127	Method for fabricating trench isolation	438/439	257/E21.548	Liao, Chien-Mao et al.
US 20050014608 A1	20050120	Handle capable of detecting human physiological characteristics for exercise apparatus	482/8	482/1	Chen, Choa-Chuan
US 20040228789 A1	20041118	Method of controlling swelling and shrinkage during synthesis of coke	423/445R		Stiller, Alfred et al.
US 20040225263 A1	20041111	Syringe with a snapping device for backward pulling the needle into the syringe after syringing	604/228		Chen, Cho Ying
US 20040204509 A1	20041014	Preparation of homogeneously loaded ion exchangers	521/25		Bollinger, Mark A. et al.
US 20040175877 A1	20040909	Method of forming a bottle-shaped trench	438/200		Lin, Shian-Jyh et al.
US 20040139782 A1	20040722	Clamp calibration apparatus and method	73/1.01		Chen, Chong Hao et al.
US 20040099605 A1	20040527	High performance continuous reaction/separation process using a continuous liquid-solid contactor	210/657		Chiang, Chen-Chou et al.
US 20040082921 A1	20040429	Infusion port apparatus of a vascular infusion assembly	604/246		Chen, Cho Ying
US 20040075835 A1	20040422	Method of inspecting grain size of a polysilicon film	356/369		Lin, Kun-Chih et al.
US 20040070111	20040415	Zipper and method of making zipper	264/252	525/54.31	Hsieh, Chen-Chou

A1		composition			
US 20040063992 A1	20040401	High performance continuous reaction/separation process using a continuous liquid-solid contactor	560/1		Chiang, Chen-Chou et al.
US 20040040509 A1	20040304	Apparatus and method for preventing etchant condensation on wafer in a cooling chamber	118/724	156/345.53	Lu, Kuo-Liang et al.
US 20040031757 A1	20040219	High performance continuous reaction/separation process using a continuous liquid-solid contactor	210/656		Chiang, Chen-Chou et al.
US 20040019241 A1	20040129	Process for the production of bisphenol-A	568/728		Chiang, Chen-Chou et al.
US 20030221712 A1	20031204	Shower tubing for PRS wet bench	134/34	134/199; 134/902	Yang, Shin-Shing et al.
US 20030085415 A1	20030508	CMOS image sensor device	257/232		Chen, Chong-Yao et al.
US 20030083627 A1	20030501	Disposable safety syringe	604/240		Chen, Cho-Yin
US 20030077220 A1	20030424	Method for making alumina	423/625	423/626	Jeng, De-Yin et al.
US 20030049896 A1	20030313	METHOD FOR MAKING AN ACTIVE PIXEL SENSOR	438/200		Chen, Chong-Yao et al.
US 20020197758 A1	20021226	Method for fabricating a CMOS image sensor	438/48	438/73	Chen, Chong-Yao et al.
US 20020196480 A1	20021226	Structure of a CMOS image sensor	358/482		Chen, Chong-Yao et al.
US	20021219	STRUCTURE OF	438/292	257/E27.132	Chen, Chong-

20020192913 A1		A CMOS IMAGE SENSOR AND METHOD FOR FABRICATING THE SAME			Yao et al.
US 20020190286 A1	20021219	STRUCTURE OF A CMOS IMAGE SENSOR	257/290	257/E27.132	Chen, Chong- Yao et al.
US 20020162578 A1	20021107	Wet dip method for photoresist and polymer stripping without buffer treatment step	134/19	134/30; 216/91; 257/E21.228; 257/E21.255	Ma, Ching- Tien et al.
US 20020031910 A1	20020314	Method for integrating anti- reflection layer and salicide block	438/682	257/E21.438; 257/E31.12; 257/E31.121	Chen, Chong- Yao et al.
US 7074700 B2	20060711	Method for isolation layer for a vertical DRAM	438/593	438/268; 438/270; 438/282	Huang; Cheng-Chih et al.
US 7045057 B2	20060516	Preparation of homogeneously loaded ion exchangers	210/140	210/189; 210/268; 210/269; 210/284; 210/676; 210/691; 521/25; 521/26; 521/28; 521/29; 521/31	Bollinger; Mark A. et al.
US 7025243 B2	20060411	Bondhead for wire bonding apparatus	228/4.5	228/180.5	Wong; Yam Mo et al.
US 6962847 B2	20051108	Method for forming a self- aligned buried strap in a vertical memory cell	438/249	257/E21.008; 438/244; 438/247; 438/248; 438/387; 438/390; 438/391; 438/392	Huang; Cheng-Chih et al.
US 6958283 B2	20051025	Method for fabricating trench isolation	438/439	257/E21.548; 438/435; 438/437	Liao; Chien- Mao et al.
US 6948387 B2	20050927	Clamp calibration apparatus and	73/862.541	73/1.08	Chen; Chong Hao et al.

		method			
US 6933416 B2	20050823	Process for the production of bisphenol-A	568/728		Chiang; Chen-Chou et al.
US 6927123 B2	20050809	Method for forming a self-aligned buried strap in a vertical memory cell	438/249	257/E21.008; 257/E29.346; 438/244; 438/246; 438/247; 438/387; 438/389; 438/390; 438/392	Huang; Cheng-Chih et al.
US 6922243 B2	20050726	Method of inspecting grain size of a polysilicon film	356/369		Lin; Kun-Chih et al.
US 6906364 B2	20050614	Structure of a CMOS image sensor	257/292	257/291; 257/294	Chen; Chong-Yao et al.
US 6835641 B1	20041228	Method of forming single sided conductor and semiconductor device having the same	438/597	438/243; 438/244; 438/386; 438/584	Yang; Sweehan J. H. et al.
US 6770125 B2	20040803	Reversible thermochromic composition	106/31.18		Chen; Peen-Taurn et al.
US 6656165 B2	20031202	Disposable safety syringe	604/240	604/110	Chen; Cho-Yin
US 6652666 B2	20031125	Wet dip method for photoresist and polymer stripping without buffer treatment step	134/30	134/19; 134/38; 134/902; 257/E21.228; 257/E21.255	Ma; Ching-Tien et al.
US 6607951 B2	20030819	Method for fabricating a CMOS image sensor	438/199	257/232; 257/290; 257/369; 438/200; 438/229; 438/275; 438/299; 438/48; 438/57	Chen; Chong-Yao et al.
US 6599270	20030729	Syringe with a	604/110		Chen; Cho

B1		snapping device for backward pulling the needle into the syringe after syringing			Ying
US 6541329 B1	20030401	Method for making an active pixel sensor	438/237	438/200; 438/232; 438/306	Chen; Chong-Yao et al.
US 6517797 B1	20030211	Process for separation of NO <sub>x</sub> from N <sub>2</sub> O in a mixture	423/400	423/239.1; 423/402; 95/129	Chiang; Chen-Chou et al.
US D469805 S	20030204	Writing implement	D19/43	D19/49; D19/50; D19/56	Liu; Chen-Chou
US 6507059 B2	20030114	Structure of a CMOS image sensor	257/290	257/291; 257/292; 257/293; 257/E27.132; 438/48; 438/70	Chen; Chong-Yao et al.
US 6506619 B2	20030114	Structure of a CMOS image sensor and method for fabricating the same	438/48	257/E27.132; 438/199; 438/253; 438/70	Chen; Chong-Yao et al.
US 6503017 B1	20030107	Ink regulating apparatus in a pen	401/199	401/205; 401/207	Liu; Chen-Chou
US 6479317 B2	20021112	Method for integrating anti-reflection layer and salicide block	438/72	257/E21.438; 257/E31.12; 257/E31.121; 438/636; 438/64; 438/69; 438/70	Chen; Chong-Yao et al.
US D464934 S	20021029	Power converter	D13/110		Chen; Chong-Lieh
US 6432082 B1	20020813	Safety syringe	604/110	604/181; 604/187; 604/218; 604/240; 604/243	Chen; Cho-Ying
US 6401361 B1	20020611	Apparatus and method for drying wafers by a solvent	34/467	34/524; 34/548; 34/558; 34/570	Chen; Cho-Ching et al.



US 6383443 B1	20020507	Sol-gel process for making monolithic alpha-alumina articles having controlled porosity	264/621	264/650; 264/658; 264/660; 501/12	Jeng; De-Yin et al.
US 6313338 B1	20011106	Process for preparing N-[1-(S)-ethoxycarbonyl-3-phenylpropyl]-L-ananine N-carboxyanhydride	560/24		Chen; Chong-Ming et al.
US 6303406 B1	20011016	Method for integrating anti-reflection layer and salicide block	438/72	257/E21.438; 257/E31.12; 257/E31.121; 438/636; 438/64; 438/69; 438/70	Chen; Chong-Yao et al.
US 6302948 B1	20011016	Textile ink-jet printing-purpose disperse dye micro-emulsion agent	106/31.37	106/31.43; 106/31.47; 106/31.58	Lin; Cheng Kun et al.
US 6262274 B1	20010717	Process for preparing N-[1-(S)-ethoxycarbonyl-3-phenylpropyl]-L-ananine N-carboxyanhydride	548/227		Chen; Chong-Ming et al.
US 6152773 A	20001128	Electrical connector having reliably secured shield	439/607		Chen; Cho-Hsu
US 5903279 A	19990511	Method for antialiasing	345/443		Lee; Chi-Chih et al.
US 5580151 A	19961203	Warning light mounting assembly	362/549	248/215; 248/311.2; 362/191; 362/396; 362/398; 362/542	Chen; Chow-Fa
US 5548474 A	19960820	Electrical components such as capacitors	361/313	361/303	Chen; Chong-Jeou et al.

		having electrodes with an insulating edge			
US 5478247 A	19951226	Electrical connector	439/65	439/326	Chen; Chou Lin et al.
US 5472354 A	19951205	Electrical connector	439/357	439/65	Chen; Chou L. et al.
US 5454726 A	19951003	Electrical connector	439/65	439/310	Lee; Kow C. et al.
US 5411907 A	19950502	Capping free metal silicide integrated process	438/231	438/305	Yoo; Chue-San et al.
US 5386087 A	19950131	Printed circuit board having U-shaped solder mask layer separating respective contacts	174/261	174/250; 361/767	Lee; Chen W. et al.
US 5288903 A	19940222	Preparation of 3-pentenoic acid and a catalyst therefore	562/598	549/28; 549/3; 562/600	Bunel; Emilio E. et al.
US 5232400 A	19930803	Connector device	439/326		Chang; Mon Shing et al.
US 5088120 A	19920218	Combined and fixed necktie	2/153	2/150; 2/152.1	Yen; Chen-Chou
US 4512721 A	19850423	Vacuum insulated stem injection tubing	417/51	166/57; 417/53	Ayres; Paul S. et al.